

GLAZED BRICKS



THE MIDDLETON FIRECLAY CO., LEEDS

Proprietors:—The Middleton Estate & Colliery Co. Ltd.



WORKS:—

Postal Address:—The Middleton Fireclay Co., Leeds.

Telegrams—"Glazebrick, Leeds."

Telephone—Head Office: 23761 Leeds.

Works: 26904 Leeds.

LEEDS DEPOT:—

Great Wilson Street.

Telephone: 25282 Leeds.

LONDON OFFICE & DEPOT:—

St. Pancras Goods Station (L. M. & S. Rly.), King's Road, London, N.W. 1.

Telegrams—"Glazebrick, Norwest, London."

Telephone—North 1209.

(CODES—A.B.C. 5th Edition).

The following are some of the Buildings for which we have supplied the facing materials:

BELFAST—

St. Anne's Buildings
Coulter's Premises, Ballynahinch

BIRMINGHAM—

Ruby Buildings, Hockley Hill

BLACKPOOL—

Shops on Central Beach
Mount Pleasant Hotel
Congregational Church, Fairhaven

DALTON-IN-FURNESS—

Picture Palace

DARLINGTON—

Longstaff's Premises, 17, Grange Rd.

DONCASTER—

Trades and Friendly Societies Institute

DOUGLAS—

Collinson's Cafe, Duke Street

GOOLE—

Yorkshire Electric Power Co.'s
Premises

HALIFAX—

Industrial Society's Premises, King
Cross Street

HUDDERSFIELD—

Empire Picture House

LEEDS—

Midland Bank Limited, Hunslet
Shops, Albion Place
Offices for Leeds Steel Works
People's Palace, Meadow Road
Harehills Picture House

LIVERPOOL—

"Liverpool Arms," Water Street

LONDON—

The Ensham School, Wandsworth
The Red Hall, Walham Green

MANCHESTER—

C.W.S. Insurance Premises Extension
Grosvenor Picture Palace
Chorlton "Palais-de-Luxe"
Windsor Castle Inn, Openshaw
Shop, Broad Street, Pendleton

MIDDLESBORO'—

Newhouses' Premises

PENYDARREN—

Picture Palace

PONTYPOOL—

Cinema

RANGOON—

Memorial Tower

SHEFFIELD—

Hillsbro' Baptist Church

STOCKTON—

Pickering's Premises, Dovecot Street

YORK—

Boyes Premises, Bridge Street

VANCOUVER—

"Yorkshire Building"

We have also supplied materials to the following:

H.M. OFFICE OF WORKS

LONDON COUNTY COUNCIL

NORTH EASTERN RAILWAY CO.

BRADFORD DISTRICT BANK LTD.

LANCASHIRE ASYLUMS BOARD

LEEDS INFIRMARY

MIDLAND BANK LTD.

WATH-ON-DEARNE U.D.C.

DONCASTER & MEABRO' ISOLATION
HOSPITAL

QUEEN'S UNIVERSITY, BELFAST

H. M. WAR OFFICE

PONTYPRIDD WORKHOUSE

BARROW-IN-FURNESS CORPORATION

BLACKPOOL CORPORATION

BRADFORD CORPORATION

DONCASTER CORPORATION

LEEDS CORPORATION

LEICESTER CORPORATION

BELFAST CORPORATION

WEST HAM CORPORATION

INTRODUCTION.

IN presenting this Catalogue, we take the opportunity of calling your attention to the facilities which we possess for the production of first-class goods. Our Works are extensive, and cover about 20 acres, and the necessary clay and coal are obtained on our own estate. We have private sidings connecting us with the London and North Eastern; London, Midland and Scottish, and other Railways, and all goods can be loaded direct from the kiln into the trucks under supervision, without any intermediate cartage or handling, a point which is of great benefit to customers.

Our Standard clay is the finest quality of the well-known Leeds Better Bed Fireclays.

Our GLAZED AND SALT GLAZED BRICKS are unsurpassed for uniformity of shade, regularity of sizes, and truth of shapes, and are impervious to all atmospheric effects and reliable under all conditions. The name "MIDDLETON, LEEDS" on the panel of our bricks is a guarantee that they are of the very best quality and of Leeds manufacture, and that the glazes are free from lead.

Our MAJOLICA GLAZED BRICKS are produced in a variety of colours, and are suitable for internal or external decorative purposes.

Any design and shape of Brick or Tile not shown in this Catalogue can be supplied at short notice.

For calculating the quantities of Bricks per superficial yard, the following may be taken :

FLEMISH BOND—

$2\frac{7}{8}$ " Bricks—32 stretchers and 32 headers per yard.

$3\frac{1}{8}$ " " 30 " 30 " "

OLD ENGLISH BOND—

$2\frac{7}{8}$ " Bricks—24 stretchers and 48 headers per yard.

$3\frac{1}{8}$ " " 22 " 44 " "

STRETCHER BOND—

$2\frac{7}{8}$ " Bricks—48 stretchers per yard.

$3\frac{1}{8}$ " " 45 " "

TERRA-COTTA, "CERAMO," FAIENCE.—These materials are produced in a variety of colours and glazes, and are of first-class quality. Being impervious to all atmospheric effects, they are especially suitable for use in large towns, and many of the lighter colours are indispensable where cleanliness and light are essential.

We employ a staff of expert fixers, and shall be pleased to quote for fixing the above materials.

We shall, at all times, be pleased to furnish designs, estimates, or samples for any of the materials of which we are manufacturers.

For conditions of sale, see inside back cover.

THE MIDDLETON FIRECLAY WORKS. LEEDS.

VARIOUS COLOURS OF GLAZED BRICKS
INCLUDING THOSE SHOWN HEREUNDER:—

DARK GREEN

PEA GREEN

SAGE GREEN

DARK BROWN

GOLDEN BROWN

CLARET BROWN

CHOCOLATE

BLACK

SALMON

FRENCH GREY

STONE COLOUR








DRAB

Also SALT GLAZED BRICKS a speciality.

THE MIDDLETON FIRECLAY WORKS, LEEDS.

THE MIDDLETON FIRECLAY WORKS, LEEDS.










GLAZED BRICKS.

STRETCHER 1  GLAZED ONE SIDE	HEADER 2  GLAZED ONE END	QUOIN 3  GLAZED G ONE SIDE AND ONE END.
DOUBLE STRETCHER 4  GLAZED TWO SIDES	DOUBLE HEADER 5  GLAZED TWO ENDS	DOUBLE ENDED QUOIN 6  GLAZED G TWO ENDS AND ONE SIDE
DOUBLE SIDED QUOIN 7  GLAZED TWO SIDES AND ONE END	NICKED STRETCHER 8  ONE SIDE GLAZED AND NICKED	BULLNOSE. 2½ IN. RADIUS 9  SUITABLE FOR CILLS
BULLNOSE. 4½ IN. RADIUS 10  SUITABLE FOR CILLS	ROUND END 11  GLAZED BOTH SIDES FOR END OF 4½ IN. PARTITION	DOUBLE BULLNOSE 12  2 1/2 IN. RADIUS G G SUITABLE FOR COPING

THE MIDDLETON FIRECLAY WORKS, LEEDS.

THE MIDDLETON FIRECLAY WORKS, LEEDS.

GLAZED BRICKS.

<p>DOUBLE BULLNOSE 13 4½ IN. RADIUS</p>  <p>SUITABLE FOR COPING</p>	<p>STOP TO BULLNOSE 14</p>  <p>2½IN. RADIUS</p>	<p>DOUBLE BULLNOSE STOP 15</p>  <p>2¼IN. RADIUS</p> <p>G</p> <p>G</p> <p>TOP & BOTTOM OF 9-IN. PIERS</p>
<p>BULLNOSE MITRE STRETCHER 16</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>LEFT HAND CILL & JAMB MITRE</p>	<p>DOUBLE BULLNOSE MITRE 17</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>CILL & PIER DOUBLE MITRE</p>	<p>BULLNOSE MITRE HEADER 18</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>CILL & JAMB MITRE</p> <p>RIGHT HAND</p>
<p>BULLNOSE MITRE ROUNDED 19</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>RIGHT HAND</p>	<p>BULLNOSE MITRE 20</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>RIGHT HAND</p>	<p>BULLNOSE MITRE ROUNDED 21</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>RIGHT HAND</p>
<p>BULLNOSE MITRE 22</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>RIGHT HAND</p>	<p>FLAT BULLNOSE STRETCHER 23</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>CILL BRICK</p>	<p>FLAT BULLNOSE HEADER 24</p>  <p>2¼ IN. RADIUS</p> <p>G</p> <p>CILL BRICK</p>


THE MIDDLETON FIRECLAY WORKS, LEEDS.

THE MIDDLETON FIRECLAY WORKS, LEEDS.


GLAZED BRICKS.

FLAT BULLNOSE MITRE

25




2½ IN RADIUS

CILL & JAMB MITRE G
LEFT HAND

BULLNOSE MITRE



26

2½ IN.
RADIUS

RIGHT HAND



CANT OR SPLAY

27




DOUBLE SPLAY

28



STOP TO SPLAY

29



MITRE TO SPLAY


30



LEFT HAND



PLINTH STRETCHER

31




PLINTH HEADER

32



PLINTH RETURN


33



LEFT HAND

PLINTH RETURN



34



RIGHT HAND

PLINTH RETURN STOP


35



LEFT HAND

PLINTH BULLNOSE

36



LEFT HAND


THE MIDDLETON FIRECLAY WORKS, LEEDS.

THE MIDDLETON FIRECLAY WORKS, LEEDS.

GLAZED BRICKS.

PLINTH HOLLOW RETURN


37



RIGHT HAND

PLINTH BULLNOSE SQUINT


38



LEFT HAND

BIRDSMOUTH STRETCHER


39



INTERNAL OCTAGON ANGLE

BIRDSMOUTH HEADER


40



INTERNAL OCTAGON ANGLE

SQUINT


41



ANGLE 45°

SQUINT STRETCHER


42



ANGLE 45°

SOAP STRETCHER


43



9 x 2 1/4 x 2 7/8 INS.

SOAP QUOIN


44



9 x 2 1/4 x 2 7/8 INS.

FLAT


45



9 x 2 7/8 x 4 1/2 INS.

FLAT QUOIN



46



9 x 2 7/8 x 4 1/2 INS.



ARCH QUOIN STRETCHER

47



ARCH QUOIN HEADER

48



THE MIDDLETON FIRECLAY WORKS, LEEDS.


THE MIDDLETON FIRECLAY WORKS, LEEDS.

GLAZED BRICKS.


SKEWBACK STRETCHER 49




SKEWBACK HEADER 50




ARCH BULLNOSE STRETCHER 51




ARCH BULLNOSE HEADER 52



BULLNOSED SKEWBACK 53
STRETCHER



BULLNOSED SKEWBACK 54
HEADER




OCTAGON 55




EXTERNAL ANGLE G

PLINTH OCTAGON 56




LEFT HAND

FLAT BULLNOSE
 $2\frac{1}{4}$ IN. RADIUS 57




LEFT HAND EXTERNAL ANGLE G

FLAT BULLNOSE
 $2\frac{1}{4}$ IN. RADIUS 58




RIGHT HAND INTERNAL ANGLE

ROUNDED INTERNAL
ANGLE 59




$2\frac{1}{4}$ IN. RADIUS

ROUNDED INTERNAL
AND
EXTERNAL
ANGLE 60



$2\frac{1}{4}$ IN. RADIUS




THE MIDDLETON FIRECLAY WORKS, LEEDS.


THE MIDDLETON FIRECLAY WORKS, LEEDS.

GLAZED BRICKS.


ROUNDED INTERNAL AND EXTERNAL ANGLE 61




ROUNDED INTERNAL OCTAGON ANGLE 62




ROUNDED EXTERNAL OCTAGON ANGLE 63




ROUNDED INTERNAL ANGLE 64




ROUNDED INTERNAL ANGLE 65




ROUNDED INTERNAL AND EXTERNAL ANGLE 66




HOLLOW MOULD STRETCHER 67




HOLLOW MOULD HEADER 68




HOLLOW MOULD EXTERNAL ANGLE 69




HOLLOW MOULD INTERNAL ANGLE 70



HOLLOW MOULD ROUNDED EXTERNAL ANGLE 71



HOLLOW MOULD ROUNDED INTERNAL ANGLE 72




THE MIDDLETON FIRECLAY WORKS, LEEDS.


THE MIDDLETON FIRECLAY WORKS, LEEDS.

GLAZED BRICKS.

HOLLOW MOULD ROUNDED INTERNAL ANGLE 73




HOLLOW MOULD ROUNDED INTERNAL ANGLE 74




COPING


75




COPING RETURN 76




COPING STOP END 77




COPING 78




COPING RETURN 79




COPING STOP END 80




DOUBLE BULLNOSE COPING RETURN 81




DOUBLE BULLNOSE COPING RETURN 82



BULLNOSE COPING RETURN 83



BULLNOSE COPING RETURN 84




THE MIDDLETON FIRECLAY WORKS, LEEDS.

THE MIDDLETON FIRECLAY WORKS, LEEDS.


GLAZED BRICKS.

FLAT DOUBLE
BULLNOSE 85




2 1/4 IN. RADIUS

FLAT DOUBLE BULLNOSE
STOP END 86




2 1/4 IN. RADIUS


COPING 87




COPING 89




COPING 91




COPING 88












COPING 90



COPING 92



GLAZED MOULDED BRICKS SIZE 9 x 4 1/2 x 2 5/8 ins.



The above Sections are supplied in Headers, Stretchers, Quoins and Bullnose, and can also be made to special Angles, either 2 5/8 ins., 3 1/8 ins., 4 1/2 ins., or 6 ins. thick.

MAJOLICA GLAZED Moulded Bricks can be supplied to any of the above Sections, and either 2 5/8 ins., 3 1/8 ins., 4 1/2 ins., or 6 ins. thick.

Moulded Bricks of special section can be made to suit Architects' requirements.

THE MIDDLETON FIRECLAY WORKS, LEEDS.

GLAZED PARTITION BRICKS

9 IN. X 2 $\frac{7}{8}$ IN. OR 3 $\frac{1}{8}$ IN. ON FACE;
2 $\frac{1}{4}$ IN. OR 2 $\frac{1}{2}$ IN. ON BED.

STRETCHER

120



QUOIN

121




BULLNOSE

122




ROUNDED INTERNAL ANGLE

123

1 $\frac{1}{8}$ IN. RADIUS


ROUNDED INTERNAL AND EXTERNAL ANGLE

124

1 $\frac{1}{8}$ IN. RADIUS

SQUINT


125



ANGLE 45°


3 WAYS ANGLE

126

BONDS WITH
1271 $\frac{1}{8}$ IN. RADIUS


3 WAYS ANGLE

127


BONDS WITH
1261 $\frac{1}{8}$ IN. RADIUS

INTERNAL AND EXTERNAL DOUBLE ANGLE

128




BONDS WITH 132

1 $\frac{1}{8}$ IN. RADIUS (INTERNAL)
2 $\frac{1}{4}$ IN. ... (EXTERNAL)

3 WAYS ANGLE

129

1 $\frac{1}{8}$ IN. RADIUS


ROUND END

130

1 $\frac{1}{8}$ IN. RADIUS

4 WAYS ANGLE

131

1 $\frac{1}{8}$ IN. RADIUS

THE MIDDLETON FIRECLAY WORKS, LEEDS.

THE MIDDLETON FIRECLAY WORKS, LEEDS.

GLAZED PARTITION BRICKS

9 IN. X 2 $\frac{7}{8}$ IN. OR 8 $\frac{1}{8}$ IN. ON FACE;
2 $\frac{1}{4}$ IN. OR 2 $\frac{1}{2}$ ON BED.

<p>INTERNAL AND EXTERNAL DOUBLE ANGLE 132</p>	<p>COPING STRETCHER 133</p>	<p>COPING ROUND END 134</p>
<p>COPING RETURN 135</p>	<p>COPING STOP TO WALL 136</p>	<p>HOLLOW MOULD STRETCHER 137</p>
<p>COPING STOP END 138</p>	<p>3 WAYS COPING 139</p>	<p>4 WAYS COPING 140</p>
<p>HOLLOW MOULD ROUNDED INTERNAL ANGLE 141</p>	<p>HOLLOW MOULD ROUNDED EXTERNAL ANGLE 142</p>	<p>HOLLOW MOULD STOP 143</p>

THE MIDDLETON FIRECLAY WORKS, LEEDS.

CONDITIONS OF SALE

of Glazed Bricks, etc.

All Accounts are monthly, and are subject to a discount of $2\frac{1}{2}$ per cent.
for cash month following delivery.

The standard size of bricks is $9 \times 4\frac{1}{2} \times 2\frac{7}{8}$ ins. or $9 \times 4\frac{1}{2} \times 3\frac{1}{8}$ ins.

Packing in boxes, if required, to be charged extra. Cases are charged
for, but credited in full when returned, carriage paid to the Works,
in good condition.

For shipping we prefer to pack in boxes.

The term "Seconds" denotes bricks having some imperfections.

We beg to advise customers that we cannot accept cancellation of
orders for bricks or other goods when specially made.

When damage or short counts occur in transit, full particulars must be
entered in the Railway or Steamship Co.'s books at the time of
signing for the goods. Any claims for damages, breakages, or
short counts must be notified to us within two days of the truck
being cleared, otherwise they cannot be entertained.

When ordering please quote number in Catalogue.

SPECIALITIES.



GLAZED BRICKS. SALT GLAZED BRICKS.

RED BUILDING BRICKS.

(Pressed and Common)

BUFF BUILDING BRICKS.

ENGINEERING BRICKS. FIREBRICKS.

FURNACE LININGS.

FIRECLAY GOODS.

(For all purposes)

TERRA COTTA. "CERAMO."

FAIENCE.

FIREPLACES.

RETORTS.

WALL TILES. FLOOR TILES.

SANITARY WARE. DRAINAGE GOODS.

STABLE & FARM FITTINGS.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

NATIONAL
BUILDING
ARTS
CENTER

<http://web.nationalbuildingarts.org>

The above prices include delivery in loads at station.

CAMBER ARCH BRICKS, 2/4 each, any kind or colour, not to exceed 135 cubic inches.

of their respective sizes, kinds, and colour.

CIRCULAR BRICKS AND ARCH BRICKS of Single Radius, £10 per 1,000 above square bricks

PRICE LIST OF GLAZED BRICKS.

28

The Middleton Estate & Colliery Co., Ltd., Proprietors.

LEEDS.

THE MIDDLETON FIRECLAY CO.,

SUBJECT TO ALTERATION WITHOUT NOTICE.

1209 LONDON NORTH (London Office).

Nat. tel. 25946 TELLEGRAMS : CLAZEBRICK, LEEBS.
25761 TELLEGRAMS (Head Office).

THE MIDDLETON FIRECLAY CO.

MANUFACTURERS OF

BRICKS, TILES,

STOKE ON TENTERDEE,

THE MIDDLETON FIRECLAY CO. TENTERDEE.

MANUFACTURERS OF
BRICKS, TILES, & STONE.

THE MIDDLETON FIRECLAY CO. TENTERDEE.

MANUFACTURERS OF

BRICKS, TILES, & STONE.

STOKE ON TENTERDEE,

ENGLAND.

THE MIDDLETON FIRECLAY CO., TENTERDEE, MANUFACTURE EXCLUSIVELY OF THE BEST QUALITY OF BRICKS, TILES, & STONE.

THEIR MANUFACTORY IS LOCATED IN A POSITION WHICH ALLOWS THEM TO TAKE FULL ADVANTAGE OF THE FINE QUALITY OF CLAY AND SAND FOUND IN THE NEIGHBORHOOD.

THEY ARE CAPABLE OF PRODUCING THE BEST QUALITY OF BRICKS, TILES, & STONE, AND THEIR PRODUCTS ARE HIGHLY RECOMMENDED FOR USE IN THE CONSTRUCTION OF HOUSES, CHURCHES, AND OTHER PUBLIC BUILDINGS.

TERMS—Net Cash Monthly.

Terms.

The above prices include for delivery in loads at station.

9 x $\frac{3}{8}$ or 9 x $2\frac{1}{8}$ x $2\frac{3}{4}$ or 2 $\frac{1}{2}$ in. on bed. Single Stretchers, Double Stretchers, Square Quoins, Bull Noses, Same Prices as for Ordinary Glazed Bricks.

WHITE, IVORY, GOLDEN BROWN OR SALT GLAZED.

OEZL96

PRICE LIST OF GLAZED PARTITION BRICKS.

...W

THE MIDDLETON FIRECLAY CO., LTD.
Proprietors.
Middleton Estate & Colliery Co., Ltd.,
LEEDS.

SUBJECT TO ALTERATION WITHOUT NOTICE.

26904 " (Works).
1209 LONDON NORTH (London Office)

THE MIDDLETON FIRECLAY CO.
FEEDS.

PRICE LIST OF GLAZED PARTITION BRICKS

THE MIDDLETON FIRECLAY COMPANY INC., BOSTON,
MANUFACTURERS OF FIRECLAY FEEDS, GLAZED
PARTITION BRICKS, AND OTHER PRODUCTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

WE ARE LOCATED ON THE NORTHERN LINE, IN THE
MIDDLETON SECTION OF BOSTON, MASSACHUSETTS.

The above prices include for delivery in loads at station.

CAMMBRICK ARCH BRICKS, 2/4 each, any kind or colour, not to exceed 13s cubic inches.

of their respective sizes, kinds, and colour.

CIRCULAR BRICKS AND ARCH BRICKS of Single Radii, £10 per 1,000 above square bricks

HARD GLAZED BRICKS.		IVORY, WHITE, BROWN, AND IMPROVED AND GLAZED.		BEST.		SECOND.		BUF, CREAM AND BRONZE, AND COLOURS.		SECOND.		Best Quality, per 1,000.		Size 9" x 4 $\frac{3}{8}$ " x 3 $\frac{1}{8}$ ".			
STRETCHEERS		HEADERS		22 10 0		21 10 0		F. s. d.		F. s. d.		per 1,000		HEADERS		GROUTS, BULLNOSES ...	
DOUBBLE HEADERS		DOUBBLE BULLNOSES		29 0 0		28 0 0		31 0 0		28 0 0		24 0 0		22 10 0		22 0 0	
DOUBBLE STRETCHEERS		DOUBBLE BULLNOSES		28 0 0		27 0 0		30 0 0		30 0 0		33 0 0		29 0 0		29 0 0	
ONE SIDE AND TWO ENDS, SQUARE		ONE SIDE AND TWO ENDS, SQUAR		31 0 0		30 0 0		33 0 0		30 0 0		31 0 0		31 0 0		32 0 0	
TWO SIDES AND ONE END, SQUARE		TWO SIDES AND ONE END, SQUAR		32 0 0		31 0 0		35 0 0		35 0 0		38 10 0		33 0 0		33 0 0	
CANTS, SQUINTS, AND OCTAGONS		CANTS, SQUINTS, AND OCTAGONS		30 10 0		29 10 0		32 10 0		36 0 0		30 10 0		30 10 0		30 10 0	
CUT BULLNOSE (Strechers and Headers) each		CUT BULLNOSE (Strechers and Headers) each		0 0 10 $\frac{1}{2}$		0 0 10 $\frac{1}{2}$		0 1 0 $\frac{1}{2}$		0 1 0 $\frac{1}{2}$		0 1 0 $\frac{1}{2}$		0 0 10 $\frac{1}{2}$		0 0 10 $\frac{1}{2}$	
DOUBBLE BULLNOSE StOPS		DOUBBLE BULLNOSE StOPS		0 0 10 $\frac{1}{2}$		0 0 10 $\frac{1}{2}$		0 1 0 $\frac{1}{2}$		0 1 0 $\frac{1}{2}$		0 1 0 $\frac{1}{2}$		0 0 10 $\frac{1}{2}$		0 0 10 $\frac{1}{2}$	
ROUNDDED INTERNAL ANGLES		ROUNDDED INTERNAL ANGLES		0 1 6		0 1 5 $\frac{1}{2}$		0 1 7 $\frac{1}{2}$		0 1 7 $\frac{1}{2}$		0 1 6		0 1 6		0 1 6	
MOUTEDD BRICKS—Strechers and Headers		MOUTEDD BRICKS—Strechers and Headers		0 1 6		0 0 10 $\frac{1}{2}$		0 0 8 $\frac{1}{2}$		0 0 10 $\frac{1}{2}$		0 1 6		0 1 6		0 1 6	
1D. Internal & External Angles		1D. Internal & External Angles		0 2 4		—		0 2 4		—		—		—		—	
27 10 0		26 10 0		29 10 0		26 10 0		33 0 0		33 0 0		27 10 0		... per 1,000		27 10 0	
9" x 4 $\frac{3}{8}$ " x 2" FLATS per 1,000		27 10 0		26 10 0		29 10 0		26 10 0		27 10 0		... per 1,000		27 10 0	

PRICE LIST OF GLAZED BRICKS.

۲۶

THE MIDDLETON FIRECLAY CO., LTD.

SUBJECT TO ALTERATION WITHOUT NOTICE.

Proprietors.

The Middleton Estate & Colliery Co., Ltd.,

2694 " (Works).
TELEGRAMS: CLAZEBRICK, LEEDS.
TELEGRAMS: Head Office.

1209 LONDON NORTH (London Office).

28904 (WIRKS) " " 1939 REGISTRATION

26904 (Rev. 1-2003)

C	02	0	0	81	0	0	47
C	02	0	0	71	0	0	47
C	02	0	0	66	0	0	47
C	02	0	0	56	0	0	47
C	02	0	0	46	0	0	47
C	02	0	0	36	0	0	47
C	02	0	0	26	0	0	47
C	02	0	0	16	0	0	47
C	02	0	0	6	0	0	47
C	02	0	0	1	0	0	47
C	02	0	0	0	0	0	47